

## 02 Zagen en oscilleren

|                            |            |            |            |            |            |
|----------------------------|------------|------------|------------|------------|------------|
|                            |            |            |            |            |            |
| Kleurcodering              |            |            |            |            |            |
| Materiaal                  |            |            | <b>Fe</b>  | <b>Al</b>  |            |
| Aanbevolen toerentalniveau | <b>3-6</b> | <b>3-5</b> | <b>2-4</b> | <b>3-6</b> | <b>4-6</b> |

### WOOD STANDARD



|                   | Diameter | Zaagbreedte | Asgat-Ø | Aantal tanden | Spaanhoek | Tandvorm | VAP €*                | Bestel-Nr. |
|-------------------|----------|-------------|---------|---------------|-----------|----------|-----------------------|------------|
| HW 160x1,8x20 W18 | 160 mm   | 1,8 mm      | 20 mm   | 18            | 25°       | W        | <b>38,60</b><br>46,71 | 500458     |
| HW 160x2,2x20 W18 | 160 mm   | 2,2 mm      | 20 mm   | 18            | 25°       | W        | <b>42,00</b><br>50,82 | 768129     |
| HW 210x2,6x30 W18 | 210 mm   | 2,6 mm      | 30 mm   | 18            | 20°       | W        | <b>64,10</b><br>77,56 | 493197     |
| HW 230x2,5x30 W24 | 230 mm   | 2,5 mm      | 30 mm   | 24            | 20°       | W        | <b>80,40</b><br>97,28 | 500647     |

### WOOD RIP CUT



|                    |        |        |       |    |     |    |                       |        |
|--------------------|--------|--------|-------|----|-----|----|-----------------------|--------|
| HW 160x1,8x20 PW12 | 160 mm | 1,8 mm | 20 mm | 12 | 20° | PW | <b>56,90</b><br>68,85 | 205550 |
| HW 160x2,2x20 PW12 | 160 mm | 2,2 mm | 20 mm | 12 | 20° | PW | <b>56,90</b><br>68,85 | 496301 |
| HW 190x2,6 FF PW16 | 190 mm | 2,6 mm | FF**  | 16 | 28° | PW | <b>72,90</b><br>88,21 | 492049 |
| HW 210x2,6x30 PW16 | 210 mm | 2,6 mm | 30 mm | 16 | 28° | PW | <b>81,20</b><br>98,25 | 493196 |
| HW 225x2,6x30 PW18 | 225 mm | 2,6 mm | 30 mm | 18 | 28° | PW | <b>81,50</b><br>98,62 | 496303 |
| HW 230x2,5x30 PW18 | 230 mm | 2,5 mm | 30 mm | 18 | 28° | PW | <b>78,10</b><br>94,50 | 500646 |
| HW 254x2,4x30 PW24 | 254 mm | 2,4 mm | 30 mm | 24 | 20° | PW | <b>74,90</b><br>90,63 | 575974 |

### WOOD UNIVERSAL



|                   |        |        |       |    |     |   |                         |        |
|-------------------|--------|--------|-------|----|-----|---|-------------------------|--------|
| HW 160x1,8x20 W28 | 160 mm | 1,8 mm | 20 mm | 28 | 15° | W | <b>65,10</b><br>78,77   | 205551 |
| HW 160x2,2x20 W28 | 160 mm | 2,2 mm | 20 mm | 28 | 15° | W | <b>65,10</b><br>78,77   | 496302 |
| HW 190x2,6 FF W32 | 190 mm | 2,6 mm | FF**  | 32 | 10° | W | <b>81,30</b><br>98,37   | 492048 |
| HW 210x2,4x30 W36 | 210 mm | 2,4 mm | 30 mm | 36 | 15° | W | <b>83,70</b><br>101,28  | 493198 |
| HW 216x2,3x30 W36 | 216 mm | 2,3 mm | 30 mm | 36 | -5° | W | <b>96,80</b><br>117,13  | 500124 |
| HW 225x2,6x30 W32 | 225 mm | 2,6 mm | 30 mm | 32 | 20° | W | <b>81,50</b><br>98,62   | 488288 |
| HW 254x2,4x30 W40 | 254 mm | 2,4 mm | 30 mm | 40 | 15° | W | <b>115,50</b><br>139,76 | 575975 |
| HW 260x2,5x30 W60 | 260 mm | 2,5 mm | 30 mm | 60 | -5° | W | <b>155,10</b><br>187,67 | 494604 |

### WOOD FINE CUT



|                    |        |        |       |    |     |    |                         |        |
|--------------------|--------|--------|-------|----|-----|----|-------------------------|--------|
| HW 160x1,8x20 WD42 | 160 mm | 1,8 mm | 20 mm | 42 | 10° | WD | <b>81,10</b><br>98,13   | 205553 |
| HW 160x2,2x20 W48  | 160 mm | 2,2 mm | 20 mm | 48 | 5°  | W  | <b>81,10</b><br>98,13   | 491952 |
| HW 190x2,4 FF W48  | 190 mm | 2,4 mm | FF**  | 48 | 8°  | W  | <b>97,30</b><br>117,73  | 492050 |
| HW 210x2,4x30 W52  | 210 mm | 2,4 mm | 30 mm | 52 | 5°  | W  | <b>113,50</b><br>137,34 | 493199 |
| HW 216x2,3x30 W48  | 216 mm | 2,3 mm | 30 mm | 48 | -5° | W  | <b>118,00</b><br>142,78 | 491050 |
| HW 216x2,3x30 W60  | 216 mm | 2,3 mm | 30 mm | 60 | -5° | W  | <b>141,30</b><br>170,97 | 500125 |
| HW 225x2,6x30 W48  | 225 mm | 2,6 mm | 30 mm | 48 | 10° | W  | <b>114,00</b><br>137,94 | 488289 |
| HW 230x2,5x30 W48  | 230 mm | 2,5 mm | 30 mm | 48 | 10° | W  | <b>110,00</b><br>133,10 | 500648 |
| HW 254x2,4x30 W60  | 254 mm | 2,4 mm | 30 mm | 60 | 10° | W  | <b>145,60</b><br>176,18 | 575976 |
| HW 260x2,5x30 W80  | 260 mm | 2,5 mm | 30 mm | 80 | -5° | W  | <b>186,10</b><br>225,18 | 494605 |

Aanbevolen toerentalniveau